



ZQZ5310TFC SYNCHRONOUS CHIP SEALER



Hangzhou ICOM Construction Machinery Co.,Ltd

Hangzhou ICOM Construction Machinery Co., Ltd is a professional manufacture of road construction machinery in china. Management team with many years of experience in the design and manufacture of construction equipment and trained world renowned equipment manufacturing experts at home and abroad a number of important new technology road works promotion of new equipment , get a good project results. Especially developed to optimize applications with industry-leading levels of construction equipment and asphalt in the asphalt performance .My company has a system integration technology road construction equipment, to meet the equipment requirements of the whole process . Management team has a strict work style and good business philosophy of cooperation between the parties work together to provide integrated services industry demeanor , higher precision , specialized in the development of the road .

Factory:



Ready to go:



Parts warehouse :



Painting workshop:



Show details:



Parts:



ICOM Synchronous Chip Sealer **Strong advantage:**

A new generation of heavy truck HOWO chassis , in comfort, safety and convenience aspects of human nature , a world-class heavy truck level.

- Asphalt storage tank with insulation cotton + high temperature insulation coating applicator (NATIONAL EXCLUSIVE) , better insulation ;
- Spreading quantity of asphalt and crushed stones is intelligently controlled. Spraying of asphalt and crushed stones is controlled with one key;
- True-color large screen LCD screen observes and monitors working condition and parameters of vehicle in real time.
- Through the perfect combination of electrical control and constant pressure device of hydraulic system, zero start spreading is realized;
- The burner dry burning-resistant safety device and heat conduction oil temperature monitoring system are first developed. The heating is safer and more reliable.

SYNCHRONOUS CHIP SEALER Specification

NAME	SYNCHRONOUS CHIP SEALER	Model	ZQZ5310TFC
OVERVIEW			
Mass parameter:			
Kerb Weight(kg)	21200	Total Weight (kg)	31000
Rated loading Weight(kg)	9670	Dimension(mm)	12000×2500 ×3730
Chassis Parameter:			
Chassis Model	Z1317ZM4661V (EURO III)	Tyre model	12.00-20 12.00R20
Wheelbase (mm)	1800+4600+1350	Tread mm	2022/1830

Engine parameter:			
Engine model	WD615.87	Manufacturer	China Heavy Duty Truck Group Co., Ltd.
Max.Power(kw)	213	Max. Torque(N.m)	1300/1600
Fuel	Diesel	Displacement(ml)	9726
Chip sealer specification:			
Tank Capacity(L)	8000	Spray width	3800mm
Hydraulic pump model	CBQL-E563	Spray Value	0.5-3.0 (Kg)
Hydraulic motoe	L2F63W2P2 (Liyuan)	Insulation Thickness	50mm
Controller	ZMTB-3D	Nozzles	28
Generator(Converter)	YT6800E	Burner	G20 (Riello) (N:2)
Asphalt pump	QGB450/0.8 (Shanggui)	Chipping capacity(m³)	12m³
HTF pump	GRY40-25-160	Cycloid motor	OMR-80



Key part



WORKING SITE:

